

**Revision of the culture of *Acremonium berkeleyanum* CBS 501.81 and its comparison with *Sphaerostilbella berkeleyana***

Markéta Šandová, Miroslav Kolařík

Czech Mycology 78(2): 109–123

**Supplementary references**

- Ahn G.R., Kwon H.W., Ko H.K., Kim S.H. (2016): Unrecorded fungal species isolated from greenhouses used for shiitake cultivation in Korea. – *The Korean Journal of Mycology* 44(1): 8–15.
- Albores S., Sanguinedo P., Held B.H., Cerdeiras M.P., Blanchette R.A. (2018): Biodiversity and antimicrobial activity of antarctic fungi from the Fildes Peninsula, King George Island. – *Sydowia* 70: 185–192.
- Bao D.F., Hyde K.D., Maharachchikumbura S.S.N., Perera R.H., Thiyagaraja V., Hongsanan S., Wanasinghe D.N., Shen H.W., Tian X.G., Yang L.Q., Nalumpang S., Luo Z.L. (2023): Taxonomy, phylogeny and evolution of freshwater Hypocreomycetidae (Sordariomycetes). – *Fungal Diversity* 121(1): 1–94.
- Bashiri S., Abdollahzadeh J. (2024): Taxonomy and pathogenicity of fungi associated with oak decline in northern and central Zagros forests of Iran with emphasis on coelomycetous species. – *Front. Plant Sci.* 15: 1377441.
- Blanchette R.A., Held B.W., Hellmann L., Millman L., Buntgen U. (2016): Arctic driftwood reveals unexpectedly rich fungal diversity. – *Fungal Ecol.* 23: 58–65.
- Chaverri P., Salgado C., Hirooka Y., Rossman A.Y., Samuels G.J. (2011): Delimitation of *Neonectria* and *Cylindrocarpon* (*Nectriaceae*, Hypocreales, Ascomycota) and related genera with *Cylindrocarpon*-like anamorphs. – *Stud. Mycol.* 68: 57–78.
- Crous P.W., Lombard L., Sandoval-Denis M., Seifert K.A., Schroers H.-J. et al. (2021): *Fusarium*: more than a node or a foot-shaped basal cell. – *Stud. Mycol.* 98(1): 1–184.
- Czachura P., Janik P. (2025): Resin outpourings on conifers are inhabited by more members of *Nectriaceae* (Hypocreales, Sordariomycetes) than previously thought. – *MycoKeys* 113: 337–358.
- Franke R.D.M., Rajtar N.N., Blanchette R.A. (2025): Fungi associated with dying buckthorn in North America. – *Forests* 2025, 16: 1–13.
- Gonçalves V.N., Vaz A.B., Rosa C.A., Rosa L.H. (2012): Diversity and distribution of fungal communities in lakes of Antarctica. – *FEMS Microbiol Ecol.* 82(2): 459–471.

- Gräfenhan T., Schroers H.-J., Nirenberg H.I., Seifert K.A. (2011): An overview of the taxonomy, phylogeny, and typification of nectriaceous fungi in *Cosmospora*, *Acremonium*, *Fusarium*, *Stilbella*, and *Volutella*. – Stud. Mycol. 68: 79–113.
- Hashemi H., Mohammadi H., Abdollahzadeh J. (2017): Symptoms and fungi associated with elm trees decline in Iran. – Eur. J. Forest Res. 136(5–6): 857–879.
- Held B.W., Salomon C.E., Blanchette R.A. (2020): Diverse subterranean fungi of an underground iron ore mine. – PLoS One 15(6): e0234208.
- Herrera C.S. (2014): Systematics of the genus *Cosmospora* (*Nectriaceae*, Hypocreales), and conspeciation of *Cosmospora* species with their associated fungal hosts. – pp. i–x, 1–215, Dissertation, University of Maryland, College Park.
- Herrera C.S., Rossman A.Y., Samuels G.J., Pereira O.L., Chaverri P. (2015): Systematics of the *Cosmospora viliuscula* species complex. – Mycologia 107(3): 532–557.
- Hirose D., Hobara S., Matsuoka S., Kato K., Tanabe Y., Uchida M., Kudoh S., Osono T. (2016): Diversity and community assembly of moss-associated fungi in ice-free coastal outcrops of continental Antarctica. – Fungal Ecol. 24(part A): 94–101.
- Hou L.W., Giraldo A., Groenewald J.Z., Rämä T., Summerbell R.C., Huang G.Z., Cai L., Crous P.W. (2023): Redisposition of acremonium-like fungi in Hypocreales. – Stud. Mycol. 105(1): 23–203.
- Jankowiak R., Ciach M., Bilański P., Linnakoski R. (2019): Diversity of wood-inhabiting fungi in woodpecker nest cavities in southern Poland. – Acta Mycologica 54(1): 1–20.
- Kim M.K., Sim S.A., Choi C.L., Hong K.P. (2019): Diversity analysis of culture-dependent fungal species isolated from the sawdust media of *Lentinula edodes*. – Journal of Mushrooms 17(4): 179–184.
- Linnakoski R., Kasanen R., Lasarov I., Marttinen T., Oghenekaro A.O., Sun H., Asiegbu F.O., Wingfield M.J., Hantula J., Heliövaara K. (2018): *Cadophora margaritata* sp. nov. and other fungi associated with the longhorn beetles *Anoplophora glabripennis* and *Saperda carcharias* in Finland. – Antonie Van Leeuwenhoek 111(11): 2195–2211.
- Linnakoski R., Mahilainen S., Harrington A., Vanhanen H., Eriksson M., Mehtälö L., Pappinen A., Wingfield M.J. (2016): Seasonal succession of fungi associated with *Ips typographus* beetles and their phoretic mites in an outbreak region of Finland. – PLoS One 11(5): e0155622.
- Lombard L., van der Merwe N.A., Groenewald J.Z., Crous P.W. (2015): Generic concepts in *Nectriaceae*. – Stud. Mycol. 80: 189–245.

- Lorch J.M., Lindner D.L., Gargas A., Muller L.K., Minnis A.M., Blehert D.S. (2013): A culture-based survey of fungi in soil from bat hibernacula in the eastern United States and its implications for detection of *Geomyces destructans*, the causal agent of bat white-nose syndrome. – *Mycologia* 105(2): 237–252.
- Luo Z.L., Hyde K.D., Liu J.K., Maharachchikumbura S.S.N., Jeewon R., Bao D.F., Bhat D.J., Lin C.G., Li W.L., Yang J., Liu N.G., Lu Y.Z., Jayawardena R.S., Li J.F., Su H.Y. (2019): Freshwater Sordariomycetes. – *Fungal Diversity* 99(1): 451–660.
- Macias A.M., Marek P.E., Morrissey E.M., Brewer M.S., Short D.P.G., Stauder C.M., Wickert K.L., Berger M.C., Metheny A.M., Stajich J.E., Boyce G., Rio R.V.M., Panaccione D.G., Wong V., Jones T.H., Kasson M.T. (2019): Diversity and function of fungi associated with the fungivorous millipede, *Brachycybe lecontii*. – *Fungal Ecol.* 41: 187–197.
- Marčiulynienė D., Marčiulynas A., Lynikienė J., Vaičiukynė M., Gedminas A., Menkis A. (2021): DNA-metabarcoding of belowground fungal communities in bare-root forest nurseries: Focus on different tree species. – *Microorganisms* 9(1), 150: 1–21.
- Miller S., Masuya H., Zhang J., Walsh E., Zhang N. (2016): Real-time PCR detection of dogwood anthracnose fungus in historical herbarium specimens from Asia. – *PLoS One* 11(4): e0154030.
- Nguyen T.T.T., Lim H.J., Chu S.J., Lee H.B. (2022): Two new species and three new records of ascomycetes in Korea. – *Mycobiology* 50(1): 30–45.
- Otto E.C., Held B.W., Gould T.J., Blanchette R.A. (2021): Fungal diversity in multiple post-harvest aged red pine stumps and their potential influence on *Heterobasidion* root rot in managed stands across Minnesota. – *Front. Fungal Biol.* 2021(2), 782181: 1–16.
- Pearman J.K., Taylor J.E., Kinghorn J.R. (2010): Fungi in aquatic habitats near St Andrews in Scotland. – *Mycosphere* 1: 11–21.
- Pedersen N.B., Matthiesen H., Blanchette R.A., Alfredsen G., Held B.W., Westergaard-Nielsen A., Hollesen J. (2020): Fungal attack on archaeological wooden artefacts in the Arctic – implications in a changing climate. – *Sci. Rep.* 10, 14577.
- Persson Y., Vasaitis R., Långström B., Öhrn P., Ihrmark K., Stenlidet J. (2009): Fungi vectored by the bark beetle *Ips typographus* following hibernation under the bark of standing trees and in the forest litter. – *Microb. Ecol.* 58(3): 651–659.
- Peters S., Fuchs S., Bien S., Bußkamp J., Langer G.J., Langer E.J. (2023): Fungi associated with stem collar necroses of *Fraxinus excelsior* affected by ash dieback. – *Mycol. Progr.* 22, 52: 1–29.

- Schlegel M., Queloz V., Sieber T.N. (2018): The endophytic mycobiome of european ash and sycamore maple leaves – geographic patterns, host specificity and influence of ash dieback. – *Front. Microbiol.* 9, 2345: 1–20.
- Schoch C.L., Robbertse B., Robert V., Vu D., Cardinali G., et al. (2014): Finding needles in haystacks: linking scientific names, reference specimens and molecular data for Fungi. – *Database* 2014, bau061: 1–21.
- Schoch C.L., Seifert K.A., Huhndorf S., Robert V. Spouge J.L., Levesque C.A., Chen W., et al. (2012): Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. – *Proc. Natl. Acad. Sci. USA* 109(16): 6241–6246.
- Senn-Irlet B., Blaser S., Dougoud R., Stöckli E., Gross A., Mürner R. (2021): Ascomyceten der Schweiz – seltene und wenig dokumentierte Arten. – *Cryptogamica Helvetica* 23: 1–431.
- Serrano R., González-Menéndez V., Pérez-Victoria I., Sánchez I., Toro C., Mackenzie T.A., Martín J., Tormo J.R., Genilloud O. (2025): Leaf-litter-associated fungi from South Africa to control fungal plant pathogens. – *Sci. Rep.* 15, 30219: 1–17.
- Suhr M.J., Gomes-Neto J.C., Banjara N., Diana F. Florescu D.F., Mercer D.F., Iwen P.C., Hallen-Adams H.E. (2017): Epidemiological investigation of *Candida* species causing bloodstream infection in paediatric small bowel transplant recipients. – *Mycoses* 60: 366–374.
- Sun Y., Jiang J. (2017): Identification of a strain of companion fungus of *Inonotus obliquus* and its activity against tumor cell. – *Chinese Journ. Bioprocess Engineering* 15(4): 82–86.
- Taylor D.L., Hollingsworth T.N., McFarland J.W., Lennon N.J., Nusbaum C., Ruess R.W. (2014): A first comprehensive census of fungi in soil reveals both hyperdiversity and fine-scale niche partitioning. – *Ecological Monographs* 84(1): 3–20.
- Toki W. (2023): Fungal community of mycetangia in the ship-timber beetle *Elateroidea dermestoides* (Coleoptera: Lymexylidae) in Japan. – *Symbiosis* 89: 299–305.
- Vasaitis R., Burnevica N., Uotila A., Dahlberg A., Kasanen R. (2016): Cut *Picea abies* stumps constitute low quality substrate for sustaining biodiversity in fungal communities. – *Baltic Forestry* 22(2): 239-245.
- Vu D., Groenewald M., de Vries M., Gehrman T., Stielow B., Eberhardt U., Al-Hatmi A., Groenewald J.Z., Cardinali G., Houbraken J., Boekhout T., Crous P.W., Robert V., Verkley G.J.M. (2019): Large-scale generation and analysis of filamentous fungal DNA barcodes boosts coverage for kingdom fungi and reveals thresholds for fungal species and higher taxon delimitation. – *Stud. Mycol.* 92: 135–154.

Wentzel L.C.P., Inforsato F.J., Montoya Q.V., Rossin B.G., Nascimento N.R., Rodrigues A., Sette L.D. (2019): Fungi from Admiralty Bay (King George Island, Antarctica) soils and marine sediments. – *Microb. Ecol.* 77(1): 12–24.

Zeng Z.Q., Zhuang W.Y. (2016): A new species of *Cosmospora* and the first record of sexual state of *C. lavitskiae*. – *Mycol. Progr.* 15, 6: 1–7.